



2X8 WALL CONSTRUCTION
NEEDED TO ACCOMMODATE
STANDARD LIQUIDVIEW WINDOW*

* 5.87" 2X6 DEPTH AVAILABLE
(CUSTOM ORDER REQUIRED)



- FEATURES AND CONFIGURATION NOTES:
- DIMENSIONS ARE IN INCHES [MILLIMETER]
 - DISPLAY SPECIFICATIONS:
 - MODEL: SONY FW-75BZ40L
 - DIMENSIONS (W/ OUT STAND): 66.38 (W) X 38.16 (H) X 3.13 (D)
 - VESA: 11.81IN X 11.81IN [300mm X 300mm]
 - SOUND: BUILT IN SPEAKERS OR USB OUTPUT
 - SEE 'SHEET 2' FOR BASIC INSTALLATION INSTRUCTIONS (SLV-4)
 - SEE 'SHEET 3' FOR BASIC INSTALLATION INSTRUCTIONS (PLV-4)

ALL INFORMATION © LEON HAND-CRAFTED SPEAKERS, INC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
LEON HAND-CRAFTED SPEAKERS. ANY REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF LEON SPEAKERS IS PROHIBITED

 1 (888) 213-5015 | WWW.LEONSPEAKERS.COM

DESCRIPTION

TECH DWG, LIQUIDVIEW WINDOW SLV-4 (75)

SIZE	DWG. NO.	DATE	REV
B	1009560	3/20/2024	B-01
SCALE: 1:16		DO NOT SCALE	
		SHEET 1 OF 3	






BASIC INSTALLATION INSTRUCTIONS:

- 1 PREPARE WALL PER ROUGH-IN FRAMING REQUIREMENTS
- A

SILLS MUST BE AT FRONT FOR VENTING
- B

2X8 FRAMING RECOMMENDED FOR STANDARD RECESSED INSTALLATION*
- 2 INSTALL BACK BOX USING PRE-DRILLED HOLES IN 4 CORNERS
- 3 ASSEMBLE FRAME AND INSTALL DISPLAY USING THE PROVIDED CLAMP BRACKETS
- 4 HOOK FRAME ASSEMBLY INTO BACK BOX
- 5 INSTALL LANYARDS
- 6 INSTALL WIRING THROUGH WIRE ACCESS PORTS
- 7 SECURE FRAME ASSEMBLY TO BACK BOX USING PROVIDED CHROME SOCKET SCREWS
- 8 INSTALL GLASS ASSEMBLY
- 9 PRE-PAINT AND INSTALL MAGNETIC TRIM (REMOVABLE FOR SERVICE)
- 10 ATTACH PERIMETER CASING TO BACK BOX EDGE USING BRAD NAILS OR EQUIVALENT (PAINT AS NEEDED)
- 11 SEE LIQUIDVIEW WINDOW INSTALLATION MANUAL FOR MORE DETAILED INFORMATION

*SHALLOW INSTALLATION KITS FOR 2X6 WALL DEPTHS AVAILABLE (CUSTOM ORDER)



1 (888) 213-5015 | WWW.LEONSPEAKERS.COM

DESCRIPTION

TECH DWG, LIQUIDVIEW WINDOW SLV-4 (75)

SIZE	DWG. NO.	DATE	REV
B	1009560	3/20/2024	B-01
SCALE: 1:16		DO NOT SCALE	
		SHEET 2 OF 3	




ALL INFORMATION © LEON HAND-CRAFTED SPEAKERS, INC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
LEON HAND-CRAFTED SPEAKERS. ANY REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF LEON SPEAKERS IS PROHIBITED

BASIC INSTALLATION INSTRUCTIONS:


- 1 PREPARE WALL PER ROUGH-IN FRAMING REQUIREMENTS
- A SILLS MUST BE AT FRONT FOR VENTING

B 2X8 FRAMING RECOMMENDED FOR STANDARD RECESSED INSTALLATION*
- 2 INSTALL BACK BOXES USING PRE-DRILLED HOLES IN 4 CORNERS
- 3 ASSEMBLE FRAMES AND INSTALL DISPLAY USING THE PROVIDED CLAMP BRACKETS
- 4 HOOK FRAME ASSEMBLY INTO BACK BOX
- 5 INSTALL LANYARDS
- 6 INSTALL WIRING THROUGH WIRE ACCESS PORTS
- 7 SECURE FRAME ASSEMBLIES TO BACK BOX USING PROVIDED CHROME SOCKET SCREWS
- 8 INSTALL GLASS ASSEMBLIES
- 9 PRE-PAINT AND INSTALL MAGNETIC TRIM (REMOVABLE FOR SERVICE)
- 10 ATTACH PERIMETER CASING TO BACK BOX EDGE USING BRAD NAILS OR EQUIVALENT (PAINT AS NEEDED)
- 11 SEE LIQUIDVIEW WINDOW INSTALLATION MANUAL FOR MORE DETAILED INFORMATION


*SHALLOW INSTALLATION KITS FOR 2X6 WALL DEPTHS AVAILABLE (CUSTOM ORDER)



FRONT VIEW
CASING & MAGNETIC
TRIM ASSEMBLIES
SCALE 1 : 30



NOTE: 1.5" SPACING BETWEEN OPENINGS IS RECOMMENDED FOR THE SEAMLESS VIEWING EXPERIENCE OF THE PANORAMA WINDOWS. IF YOU WISH TO CHANGE SPACING, CONTACT LIQUIDVIEW TO DISCUSS.



1 ROUGH-IN OPENING
REQUIREMENTS
SCALE 1 : 30



1 (888) 213-5015 | WWW.LEONSPEAKERS.COM

DESCRIPTION

TECH DWG, LIQUIDVIEW WINDOW PLV-4 (75)

SIZE	DWG. NO.	DATE	REV
B	1009560	3/20/2024	B-0
SCALE: 1:16		DO NOT SCALE	
		SHEET 3 OF 3	

ALL INFORMATION © LEON HAND-CRAFTED SPEAKERS, INC
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF
LEON HAND-CRAFTED SPEAKERS. ANY REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION OF LEON SPEAKERS IS PROHIBITED